


ITEM NUMBER	PART NUMBER	DESCRIPTION	QUANTITY
1	66088	BRUSH MOTOR HOLDER RIGHT HAND	1
2	67320	HYDRAULIC BRUSH MOTOR	1
3	90047	BOLT HEX. HEAD Ø 1/4" - 28 UNF X 1/2" Lg.	5
4	66363	BRUSH GURARD BUMBER	1
5	65773	BROOM ASSEMBLLY	1
6	65536	BROOM QUICK RELEASE	1
7	90050	HEX BOLT Ø 1/4" - 28 UNF X 5/8" Lg.	1
8	90034	FLAT WASHER Ø 3/8" TYPE B-B	1
9	90018	LOCK WASHER Ø 1/4"	2
10	65903	BRUSH COVER	1
11	66619	WATER JET ANGLE	1
12	27668	HOSE CLAMP (CL-06)	1
13	90001	WASHER Ø 5/16"	1
14	90022	BOLT HEX. HEAD Ø 5/16" - 18 UNC. X 3/4" Lg.	1
15	90000	LOCK NUT Ø 5/16" - 18 UNC.	1
16	90020	LOCK NUT Ø 1/4" - 20 UNC	4
17	90021	BOLT HEX. HEAD Ø 1/4" - 20 UNC. X 3/4" Lg.	1
18	90023	LOCK WASHER Ø 5/16"	1
19	90049	RIVET Ø 3/16" X 1/2" Lg.	2
20	90005	WASHER # 10	2
21	25454	HYD. FITTING 90° (MORB-06/MJIC-04)	3
22	66658	WATER FITTING 90° (Pipe-04/Barb-04)	1
23	66656	WATER JET STRAINER	1
24	66657	NOZZLE BODY	1
25	65854	WATER SPRAY NOZZLE TIP RETAINER	1
26	65855	WATER SPRAY NOZZLE TIP	1

Standard B.O.M.: A67532 - Sweeping Brush Right



Drawing: A67541 - Sweeping Arm Left & Right

ITEM NUMBER	PART NUMBER	DESCRIPTION	QUANTITY
1	65709	RUBBER BOOT BRUSH ARM	1
2	65697	BOOT RETAINER	2
3	65098	UPPER BRUSH ARM	1
4	65460	BROOM ADJUSTER	1
5	65758	BRONZE FLANGE BUSHING Ø 1/2" I.D. X Ø 5/8" O.D. X 3/4" Lg.	2
6	65426	BUSHING PARALLEL SPACER	1
7	67751	LOWER PARALLELOGRAM ARM	1

Standard B.O.M.: A67541 - Sweeping Arm Left & Right

This technical diagram illustrates the exploded view of a motorcycle engine and chassis assembly. The components are identified by numbered callouts (1 through 23) as follows:

- 1:** Upper engine cover
- 2:** Lower engine cover
- 3:** Right side engine mount bracket
- 4:** Engine-to-frame link bolts
- 5:** Right side engine mount bracket
- 6:** Engine-to-frame link bolts
- 7:** Right side engine mount bracket
- 8:** Engine-to-frame link bolts
- 9:** Engine-to-frame link bolts
- 10:** Engine-to-frame link bolts
- 11:** Engine-to-frame link bolts
- 12:** Engine-to-frame link bolts
- 13:** Engine-to-frame link bolts
- 14:** Right side engine mount bracket
- 15:** Engine-to-frame link bolts
- 16:** Engine-to-frame link bolts
- 17:** Right side engine mount bracket
- 18:** Right side engine mount bracket
- 19:** Engine-to-frame link bolts
- 20:** Engine-to-frame link bolts
- 21:** Lower engine cover
- 22:** Upper engine cover
- 23:** Engine-to-frame link bolts

26:8

ITEM NUMBER	PART NUMBER	DESCRIPTION	QUANTITY
1	(SEE DRAWING A67530)	SWIVEL BEAM	1
2	(SEE DRAWING A67532)	RIGHT BROOM ASSEMBLY	1
3	(SEE DRAWING A67541)	SWEEPING ARM LEFT & RIGHT	2
4	66535	LONG PARALLEL SPACER	2
5	65426	BUSHING PARALLEL SPACER	2
6	66596	LOCK STUD BOLT	2
7	65136	BRUSH ARM PIVOT	4
8	90009	LOCK NUT Ø 1/2" - 13 UNC.	4
9	90048	FLAT C'SUNK HD SCREW Ø 1/4" - 20 UNC X 3/4" Lg.	4
10	90019	BOLT HEX HEAD Ø 1/4" - 20 UNC. X 5/8" Lg.	3
11	90018	LOCK WASHER Ø 1/4"	3
12	67800	HYDRAULIC CYLINDER	2
13	N/A	HYDRAULIC CYLINDER BOOT	2
14	67528	CYLINDER BACK AXIS	2
15	67527	CYLINDER FRONT AXIS	2
16	90096	JUM NUT 1/4" X 20 UNC	2
17	67345	CYLINDER SPACER	4
18	90097	BOLT HEX. HEAD Ø 1/2" - 13 UNC. X 2-3/4" Lg. (FULL THREADS)	2
19	67300	BRUSH ARM PIVOT HYDRAULIC	2
20	90088	CUTTER PIN Ø1/8" X 1" LG	2
21	(SEE DRAWING A67531)	LEFT BROOM ASSEMBLY	1
22	67732	WATER FITTING 90° (Pipe-02/Hose-04)	2
23	25398	HYD. FITTING 90° (Pipe-02/JIC-04)	2

1

Bill of Material : A67574 - Option Hydraulic Raise And Lower Sweeping Brushes (Option K67279)

1.


CHAPTER

27

Wander Hose DEA Option

Table of Contents


Section	Page
Wander Hose Assembly	27 : 2
Hose Support Assembly	27 : 4
Vacuum Closing Assembly	27 : 6
Container Assembly	27 : 8



Drawing: **A66925 - Wander Hose Assembly For D.E.A. Option**

ITEM NO.	PART NUMBER	DESCRIPTION	QUANTITY
1	66934	RIGID HOSE ASSEMBLY	1
2	66909	RUBBER INLET ADAPTOR P10-4089	1
3	66855	NOZZLE ANGLE	1
4	66912	JET CORPS 1/4 QPP	1
5	66913	PRO-MAX JET 1/4 NPT QPH-2.8W	1
6	9554	HOSE CLAMP Ø 2"	3
7	66916	WATER VALVE	1
8	66915	WATER FITTING STRAIGHT (Pipe-1/4"/Water Hose-04)	2
9	90005	WASHER # 10	2
10	90080	BOLT HEX. HEAD # 10 - 32 UNF. X 1-1/4" Lg.	1
11	90006	LOCK NUT # 10 - 32 UNF	1
12	66919	O RING	4
13	66979	WHITE WATER HOSE 1/4	1
14	66910	HYD. FITTING PANEL MOUNT (Fem Pipe-04)	1
15	66918	VACCUM HOSE	1


Bill of Material: A66925 - Wander Hose Assembly For D.E.A. Option



Drawing: A66888 - Hose Support Assembly For D.E.A. Option

ITEM NO.	PART	DESCRIPTION	QUANTITY
1	66914	TUBE HOLDING CLAMP	1
2	66854	HOSE CLIP BLOCK	1
3	90081	BOLT HEX. HEAD # 10 - 32 UNC X 1-3/4" Lg.	2
4	90005	WASHER # 10	2
5	90006	LOCK NUT # 10 - 32 UNF	2


Bill of Material: A66888 - Hose Support Assembly For D.E.A. Option



Drawing: A66881 - Vacuum Closing Cone For D.E.A. Option

ITEM NO.	PART NUMBER	DESCRIPTION	QUANTITY
1	66853	SUPPORT ANGLE	1
2	65994	HAND BRAKE BUSHING	1
3	90082	BOLT HEX. HEAD Ø 3/8" - 16 UNC. X 3-1/2" Lg.	1
4	90034	FLAT WASHER Ø 3/8" TYPE B-B	2
5	90046	LOCK NUT Ø 3/8" - 16 UNC.	1
6	66929	RUBBER LAB STOPPER	1
7	66930	RUBBER LAB STOPPER	1
8	90039	BOLT HEX. HEAD # 10 - 32 UNC X 1" Lg.	2
9	90005	WASHER # 10	4
10	90006	LOCK NUT # 10 - 32 UNF	2

Bill of Material: A66881 - Vacuum Closing Cone For D.E.A. Option



Drawing: A66924 - Container Assembly For D.E.A. Option

ITEM NO.	PART NUMBER	DESCRIPTION	QUANTITY
1	66452	CAN	1
2	66732	DOG OPTION COVER	1
3	66928	BOTTOM COVER PLATE SEAL	1
4	66738	INLET TUBE	1
5	66882	CAN COVER SPRING HINGE	1
6	66840	CAN HINGE	1
7	66193	FLOW CONTROL SPACER	2
8	66856	INNER BASKET	1
9	67228	RUBBER ELBOW 2" CUTTING	1
10	66933	VACUUM SEAL (DOOR TRIM)	1
11	90005	WASHER # 10	2
12	90070	BOLT HEX HEAD # 10 - 32 UNF X 1/2" Lg.	4
13	90006	LOCK NUT # 10 - 32 UNF	4
14	90039	BOLT HEX. HEAD # 10 - 32 UNC X 1" Lg.	2
15	66977	SOFT LATCH	1
16	90004	WASHER Ø 1/4"	3
17	90018	LOCK WASHER Ø 1/4"	3
18	90003	BOLT HEX. HD 1/4-20 UNC. X 1" Lg.(FULL THREAD)	3
19	9554	HOSE CLAMP Ø 2"	2

Bill of Material: A66924 - Container Assembly For D.E.A. Option

CHAPTER

28


Hydraulics Section

Table of Contents

Section	Page
Hydraulic Tank & Manifold	28 : 2
Hydraulic Oil Tank	28 : 4
Oil Cooler	28: 6
Hydraulic Manifold	28 : 8
Hydraulic Manifold (Optional Configuration)	28 : 10
Hydraulic Oil Filter & Hydraulic Fittings	28 : 12
Hydraulic Schema With All Hyd. Fittings	28 : 14
Hydraulic Hose Routings	28 : 16
Hydraulic Manifold (New Design) Without Options	28 : 18
Hydraulic Manifold (New Design) With Wander Hose	28 : 20
Hydraulic Manifold (New Design) With Raise/Lower	28 : 22
Hydraulic Manifold (New Design) With Side Dump	28 : 24
Hydraulic Manifold (New Design) Wander+Raise/Lower	28 : 26
Hydraulic Manifold (New Design) Wander+Side Dump	28 : 28
Hydraulic Manifold (New Design) Raise/Lower+S. Dump	28 : 30
Hydraulic Manifold (New Design) All Options	28 : 32
Hydraulic Hoses Routing (Option K67377)	28 : 34
Hydraulic Schema (Option K67377)	28 : 36
Hydraulic Unloading Manifold Block	28 :
Hydraulic Schema (Serial Number 17578 & Up)	28 :
Hydraulic Hoses Routing (Serial Number 17578 & Up)	28 :
Hydraulic Hoses Routing For Options (# 17578 & Up)	28 :
Hydraulic Hoses Routing Drive (# 17578 & Up)	28 :

Hydraulic Hoses Routing Sweep System (# 17578 & Up)	28 :
Hydraulic Hoses Routing Drive System (Option K67020)	28 :





SERIAL NUMBER 17736 & UP


Drawing : A67609 - Hydraulic Tank & Manifold

PS 300 - Parts



ITEM NUMBER	PART NUMBER	DESCRIPTION	QUANTITY
1	(SEE DRAWING A67603)	HYDRAULIC TANK	1
2	67309	HYDRAULIC MANIFOLD	1
3	90051	BOLT HEX. HEAD Ø 1/4" X 20 UNC. X 1/2" Lg.	3
4	90018	LOCK WASHER Ø 1/4"	3
5	90004	WASHER Ø 1/4"	3


Bill of Material : A67609 - Hydraulic Tank & Manifold



Drawing : A67603 - Hydraulic Oil Tank

ITEM NUMBER	PART NUMBER	DESCRIPTION	QUANTITY
1	65207	HYDRAULIC OIL TANK & KIT	1
2	65721	TANK MOUNTED STAINER	1
3	(COMES WITH 24057)	OIL BASE CAP	1
4	90029	ROUND HEAD CAP SCREW # 10 - 32 UNC. X 3/4" Lg.	6
5	4749	HYD. FITTING 90° (MNPT08/MJIC-08)	1
6	65861	HYD. FITTING 90° (MNPT-08/MJIC-06)	1
7	67331	BRAKE CABLE HOLDER	1
8	27668	HOSE CLAMP (CL-06)	2
9	90003	BOLT HEX. HD 1/4-20 UNC. X 1" Lg.(FULL THREAD)	4
10	90018	LOCK WASHER Ø 1/4"	4
11	90004	WASHER Ø 1/4"	5
12	66264	HYDRAULIC PLUG FITTING	1
13	90020	LOCK NUT Ø 1/4" - 20 UNC	1
14	90021	BOLT HEX. HEAD Ø 1/4" - 20 UNC. X 3/4" Lg.	1
15	24081	HYD. FITTING "T" (MJIC-06 x 2/FJIC-06)	1
16	67732	WATER FITTING 90° (Pipe-02/Hose-04)	1
17	24057	HYDRAULIC OIL TANK CAP	1
18	(COMES WITH 24057)	OIL FILLING GASKET	2
19	(COMES WITH 24057)	OIL FILLING STRAINER	1


Bill of Material : A67603 - Hydraulic Oil Tank



Drawing : A67304 - Oil Cooler

ITEM NUMBER	PART NUMBER	DESCRIPTION	QUANTITY
1	65718	OIL COOLER	1
2	65864	HYDRAULIC FITTING STRAIGHT (ORB-10/JIC-06)	2
3	27064	OIL COOLER SUPPORT KIT	2
4	90004	WASHER Ø 1/4"	4
5	90020	LOCK NUT Ø 1/4" - 20 UNC	2
6	90018	LOCK WASHER Ø 1/4"	2
7	90124	BOLT HEX. HEAD Ø 1/4" - 20 UNC. X 2-1/4" Lg.	2
8	24081	HYD. FITTING "T" (MJIC-06 x 2/FJIC-06)	2
9	4294	HYD. FITTING 45° (Female JIC-06/Male JIC-06)	1
10	25428	HYDRAULIC FITTING STRAIGHT (FEMALE JIC-06/MALE JIC-04)	1

Bill of Material : **A67304 - Oil Cooler**




Drawing : A67606 - Hydraulic Manifold

ITEM NUMBER	PART NUMBER	DESCRIPTION	QUANTITY
1	65635	MANIFOLD	1
2	4412	FITTING, HYD, 90°, MORB-04xMJIC-04	1
3	4323	FITTING, HYD, PLUG, HOLLOW HEX, MORB-06	1
4	4439	FITTING, HYD, 90°, MORB-08xMJIC-08	1
5	4307	FITTING, HYD, STR, MORB-08xMJIC-08	1
6	4285	HYDRAULIC FITTING STRAIGHT (JIC-06/ORB-06)	2
7	67699	FITTING, HYD, TEST PORT x MORB-06	1
8	65788	DIRECTIONAL CONTROL VALVE SOLENOID	1
9	(COMES WITH 65788)	JAM NUT	1
10	(COMES WITH 65788)	COIL FOR SOLENOID VALVE	1
11	5915	CONNECTOR FOR SOLENOID COIL	1
12	65790	CHECK VALVE	1
13	65785	SINGLE CROSS-OVER RELIEF VALVE	1
14	65789	RELIEF VALVE	1

Bill of Material : A67606 - Hydraulic Manifold

NOTE :



67307-RELIEF VALVE
USED WITH HYDRAULIC
RAISE/LOWER
BRUSH & NOZZLE
OPTION CONFIGURATION.
OTHERWISE
67347-CAVITY PLUG
ARE USED.



Drawing : A67587 - Hydraulic Manifold (Optional Configuration)

ITEM NUMBER	PART NUMBER	DESCRIPTION	QUANTITY
1	67272	HYDRAULIC OPTION MANIFOLD BLOCK	1
2	67306	RELIEF VALVE	1
3	67307	CHECK VALVE	1
4	4595	FITTING, HYD, STR, MORB-04xMJIC-04	1
5	(COME WITH 67305)	JAM NUT	1
6	67305	SOLENOÏDE VALVE	1
7	67305	HYDRAULIC VALVE ELECTRIC COIL	2
8	17108	FITTING, HYD, PLUG, HOLLOW HEX, MORB-02	2
9	67332	HYD. FITTING 45° (O-Ring Boss-04/JIC-04)	2
10	67330	HYDRAULIC MANIFOLD SUPPORT	1
11	27271	HOSE CLAMP (CL-11)	1
12	90004	WASHER Ø 1/4"	1
13	90018	LOCK WASHER Ø 1/4"	3
14	5915	CONNECTOR FOR SOLENOID COIL	2
15	67267	HYDRAULIC FITTING STRAIGHT (ORB-04/JIC-06)	1
16	67728	HYD. FITTING PLUG FEMALE (JIC-06)	1
17	67699	FITTING, HYD, TEST PORT x MORB-06	1

Bill of Material : A67587 - Hydraulic Manifold (Optional Configuration)




Drawing : A67604 - Hydraulic Oil Filter & Hydraulic Fittings

PS 300 - Parts



ITEM NUMBER	PART NUMBER	DESCRIPTION	QUANTITY
1	66390	HYD. FITTING 45° (Pipe-06/JIC-06)	1
2	65719	OIL FILTER BASE	1
3	65720	OIL FILTER	1
4	65872	HYD. FITTING 90° (Pipe-06/JIC-06)	1
5	90004	WASHER Ø 1/4"	2
6	90021	BOLT HEX. HEAD Ø 1/4" - 20 UNC. X 3/4" Lg.	2
7	65510	RIGHT ENGINE MOUNTING BRACKET	1

Bill of Material : A67604 - Hydraulic Oil Filter & Hydraulic Fittings




(OTHER CONFIGURATION ON FOLLOWING DRAWINGS)
ALL FITTINGS MUST BE PRE-OILED BEFORE ASSEMBLY

Drawing : A67778 - Hydraulic Manifold (New Version) Pre-Assembly

ITEM NUMBER	PART NUMBER	DESCRIPTION	QUANTITY
1	67744	HYDRAULIC OPTION MANIFOLD BLOCK	1
2	17108	FITTING,HYD,PLUG,HOLLOW HEX,MORB-02	3
3	4412	FITTING,HYD,90°,MORB-04xMJIC-04	2
4	4420	HYD. FITTING 90° (ORB-06/JIC-06)	1
5	4294	HYD. FITTING 45° (Female JIC-06/Male JIC-06)	1
6	14000	FITTING,HYD,PLUG,HOLLOW HEX,MORB-04	8
7	67783	HYD. FITTING PORT PLUG (O-Ring Boss-04)	2
8	46753	PILOT OPERATED CHECK VALVE	1
9	67788	PORT PLUG	1
10	(COME WITH 67305)	JAM NUT	1
11	67305	SOLENOÏDE VALVE	1
12	67305	HYDRAULIC VALVE ELECTRIC COIL	2


*Bill of Material : A67778 - Hydraulic Manifold (New Version) Pre-Assembly
For PS 300 Without Any Hydraulic Options*



*Drawing : A67801 - Hydraulic Manifold (New Version)
Pre-Assembly For PS 300 With Hydraulic
Wanderhose Shut-Off (Option K67278)*

ITEM NUMBER	PART NUMBER	DESCRIPTION	QUANTITY
1	67744	HYDRAULIC OPTION MANIFOLD BLOCK	1
2	17108	FITTING, HYD, PLUG, HOLLOW HEX, MORB-02	3
3	4412	FITTING, HYD, 90°, MORB-04xMJC-04	3
4	67332	HYD. FITTING 45° (O-Ring Boss-04/JIC-04)	1
5	4420	HYD. FITTING 90° (ORB-06/JIC-06)	1
6	14000	FITTING, HYD, PLUG, HOLLOW HEX, MORB-04	6
7	67783	HYD. FITTING PORT PLUG (O-Ring Boss-04)	2
8	67788	PORT PLUG	1
9	(COME WITH 67305)	JAM NUT	1
10	67305	SOLENOID VALVE	1
11	67305	HYDRAULIC VALVE ELECTRIC COIL	2
12	4294	HYD. FITTING 45° (Female JIC-06/Male JIC-06)	1
13	46753	PILOT OPERATED CHECK VALVE	1


Bill of Material : A67801 - Hydraulic Manifold (New Version)
 Pre-Assembly For PS 300 With Hydraulic
 Wanderhose Shut-Off (Option K67278)



Drawing : A67802 - Hydraulic Manifold (New Version)
Pre-Assembly For PS 300 With Hydraulic
Raise/Lower Brushes And Nozzle (Option K67279)

ITEM NUMBER	PART NUMBER	DESCRIPTION	QUANTITY
1	67744	HYDRAULIC OPTION MANIFOLD BLOCK	1
2	46753	PILOT OPERATED CHECK VALVE	1
3	17108	FITTING, HYD, PLUG, HOLLOW HEX, MORB-02	3
4	4595	FITTING, HYD, STR, MORB-04xMJIC-04	1
5	4412	FITTING, HYD, 90°, MORB-04xMJIC-04	4
6	4420	HYD. FITTING 90° (ORB-06/JIC-06)	1
7	4294	HYD. FITTING 45° (Female JIC-06/Male JIC-06)	1
8	14000	FITTING, HYD, PLUG, HOLLOW HEX, MORB-04	5
9	67783	HYD. FITTING PORT PLUG (O-Ring Boss-04)	2
10	67788	PORT PLUG	1
11	(COME WITH 67305)	JAM NUT	1
12	67305	SOLENOID VALVE	1
13	67305	HYDRAULIC VALVE ELECTRIC COIL	2


Bill of Material : A67802 - Hydraulic Manifold (New Version)
 Pre-Assembly For PS 300 With Hydraulic
 Raise/Lower Brushes And Nozzle (Option K67279)



*Drawing : A67803 - Hydraulic Manifold (New Version) Pre-Assembly For PS 300
With Hydraulic Side Pump Side Dump (Option K67377)*

ITEM NUMBER	PART NUMBER	DESCRIPTION	QUANTITY
1	67744	HYDRAULIC OPTION MANIFOLD BLOCK	1
2	46753	PILOT OPERATED CHECK VALVE	2
3	17108	FITTING, HYD, PLUG, HOLLOW HEX, MORB-02	3
4	67332	HYD. FITTING 45° (O-Ring Boss-04/JIC-04)	2
5	4412	FITTING, HYD, 90°, MORB-04xMJIC-04	2
6	4420	HYD. FITTING 90° (ORB-06/JIC-06)	1
7	4294	HYD. FITTING 45° (Female JIC-06/Male JIC-06)	1
8	14000	FITTING, HYD, PLUG, HOLLOW HEX, MORB-04	6
9	46773	RELIEF VALVE 1 GPM	1
10	(COME WITH 67305)	JAM NUT	2
11	67305	HYDRAULIC VALVE ELECTRIC COIL	4
12	67305	SOLENOID VALVE	2


Bill of Material : **A67803 - Hydraulic Manifold (New Version) Pre-Assembly For PS 300**
With Hydraulic Side Pump Side Dump (Option K67377)



*Drawing : A67804 - Hydraulic Manifold (New Version) Pre-Assembly
For PS300 With Option Wanderhose Shut-Off (Option K67278)
& Option Raise/Lower Brushes & Nozzle (Option K67279)*

ITEM NUMBER	PART NUMBER	DESCRIPTION	QUANTITY
1	67744	HYDRAULIC OPTION MANIFOLD BLOCK	1
2	46753	PILOT OPERATED CHECK VALVE	1
3	17108	FITTING, HYD, PLUG, HOLLOW HEX, MORB-02	3
4	4595	FITTING, HYD, STR, MORB-04xMJIC-04	1
5	4412	FITTING, HYD, 90°, MORB-04xMJIC-04	5
6	67332	HYD. FITTING 45° (O-Ring Boss-04/JIC-04)	1
7	4420	HYD. FITTING 90° (ORB-06/JIC-06)	1
8	4294	HYD. FITTING 45° (Female JIC-06/Male JIC-06)	1
9	14000	FITTING, HYD, PLUG, HOLLOW HEX, MORB-04	3
10	67783	HYD. FITTING PORT PLUG (O-Ring Boss-04)	2
11	67788	PORT PLUG	1
12	(COME WITH 67305)	JAM NUT	1
13	67305	SOLENOID VALVE	1
14	67305	HYDRAULIC VALVE ELECTRIC COIL	2


Bill of Material : A67804 - Hydraulic Manifold (New Version) Pre-Assembly
For PS300 With Option Wanderhose Shut-Off (Option K67278)
& Option Raise/Lower Brushes & Nozzle (Option K67279)



*Drawing : A67805 - Hydraulic Manifold (New Version) Pre-Assembly For P S300
With Option Wanderhose Shut-Off (Option K67278) & Option Hydraulic
Side Pump (Option K67377)*

ITEM NUMBER	PART NUMBER	DESCRIPTION	QUANTITY
1	67744	HYDRAULIC OPTION MANIFOLD BLOCK	1
2	46753	PILOT OPERATED CHECK VALVE	2
3	17108	FITTING,HYD,PLUG,HOLLOW HEX,MORB-02	3
4	4412	FITTING,HYD,90°,MORB-04xMJIC-04	3
5	67332	HYD. FITTING 45° (O-Ring Boss-04/JIC-04)	3
6	4420	HYD. FITTING 90° (ORB-06/JIC-06)	1
7	4294	HYD. FITTING 45° (Female JIC-06/Male JIC-06)	1
8	14000	FITTING,HYD,PLUG,HOLLOW HEX,MORB-04	4
9	46773	RELIEF VALVE 1 GPM	1
10	(COME WITH 67305)	JAM NUT	2
11	67305	HYDRAULIC VALVE ELECTRIC COIL	4
12	67305	SOLENOID VALVE	2

Bill of Material : **A67805 - Hydraulic Manifold (New Version) Pre-Assembly For P S300**
With Option Wanderhose Shut-Off (Option K67278) & Option Hydraulic
Side Pump (Option K67377)



*Drawing : A67806 - Hydraulic Manifold (New Version) Pre-Assembly For
PS 300 With Option Raise/Lower Brushes & Nozzle (Option K67279)
& Option Hydraulic Side Dump (Option K67377)*